



WATER SOFTENERS AND FILTER SYSTEMS , SOFTENER KITS, MAGNETIC AND ELECTRONIC ANTI-SCALE DEVICES

CABINET SOFTENERS EZ VALVE - CABINET SOFTENERS CLACK VALVE - CABINET SOFTENERS KS VALVE -
EXTRA PRICE FOR OTHER CABINETS - SIMPLEX WATER SOFTENERS VALVE EZ2 - DUPLEX ALTERNATED
WATER SOFTENERS VALVE CLACK WS1CI TWIN - ACTIVATED CARBON FILTERS - QUARTZ SAND FILTERS - -
MAGNETIC SCALE PREVENTER - ELECTRONICAL SCALE PREVENTER - MANUAL SOFTENERS - SIMPLEX
WATER SOFTENERS VALVE CLACK

CABINET SOFTENERS EZ VALVE

ADC-Micro NS Compact Soft

MINI cabinet water softeners NS Series- with valves EZ1/EZ2/ClackWS1CI/WS1TC



Item-Nr:	Description:
ADC005AEZ1VNS	Monoblock Water Softener 5 l valve EZ1 1" 1" meter cont. Cabinet "NS" Micro
ADC005AEZ2VNS	Monoblock Water Softener 5 l valve EZ2 1" 1" meter cont. Cabinet "NS" Micro
ADC005CT1NS	Monoblock Water Softener 5 l valve Clack WS1TC 1" time controlled Cabinet "NS" Micro
ADC005CV1NS	Monoblock Water Softener 5 l valve Clack WS1CI 1" meter cont. Cabinet "NS" Micro

ADC-Micro HP Compact Soft

Micro HP cabinet water softeners with valve EZ1/EZ2/ClackWS1TC/WS1CI



Item-Nr:	Description:
ADC005EZ1VHP1	Monoblock Water Softener 5 l valve EZ1 1" meter cont. Cabinet "HP" Mini - capacity 1,5 m3
ADC005EZ2VHP1	Monoblock Water Softener 5 l valve EZ2 1" meter cont. Cabinet "HP" Mini - capacity 1,5 m3

ADC-EZ2 Downflow Compact Soft Cabinet "EU"

Residential monoblock water softeners - Control valve EZ2 electronic metered Cabinet EU



Item-Nr:	Description:
ADC008EZ2EU	Monoblock Water .Softener 8-10 l valve EZ2 1" meter cont. Cabinet "EU" Mini
ADC015EZ2EU	Monoblock Water .Softener 13-15 l valve EZ2 1" meter cont. Cabinet "EU" MAXI
ADC020EZ2EU	Monoblock Water .Softener 18-20 l valve EZ2 1" meter cont. Cabinet "EU" Maxi
ADC025EZ2VEU	Monoblock Water .Softener 22-25 l valve EZ2 1" meter cont. Cabinet "EU" Maxi

ADC-TZ2 Upflow Compact Soft Cabinet "EU"

Residential monoblock water softeners - Control valve TZ2 electronic metered Cabinet EU



Item-Nr:	Description:
ADC008TZ2VEU	Monoblock Water .Softener 8-10 l valve TZ2 1" meter cont. Cabinet "EU" Mini
ADC015TZ2VEU	Monoblock Water .Softener 13-15 l TZ2 upflow 1" meter cont. Cabinet "EU" Maxi
ADC020TZ2VEU	Monoblock Water .Softener 18-20 l valve TZ2 upflow 1" meter cont. Cabinet "EU" Maxi
ADC025TZ2VEU	Monoblock Water .Softener 22-25 l valve TZ2 upflow 1" meter cont. Cabinet "EU" Maxi

ADC-EZ2 Downflow Compact Soft Cabinet "ELAN"

Residential monoblock water softeners - Control valve EZ2 electronic metered Cabinet ELAN



Item-Nr:	Description:
ADC008EZ2EL	Monoblock Water .Softener 8 l valve EZ2 1" meter cont. Cabinet "ELAN" Mini
ADC010EZ2EL	Monoblock Water .Softener 10 l valve EZ2 1" meter cont. Cabinet "ELAN" Mini
ADC012EZ2EL	Monoblock Water .Softener 12 l valve EZ2 1" meter cont. Cabinet "ELAN" Mini
ADC020EZ2EL	Monoblock Water .Softener 18-20 l valve EZ2 1" meter cont. Cabinet "ELAN" Maxi
ADC022EZ2EL	Monoblock Water .Softener 22-25 l valve EZ2 1" meter cont. Cabinet "ELAN" Maxi

ADC-TZ2 Upflow Compact Soft Cabinet "ELAN"

Residential monoblock water softeners - Control valve TZ2 electronic metered Cabinet ELAN



Item-Nr:	Description:
ADC008TZ2EL	Monoblock Water .Softener 8-10 l valve TZ2 1" meter cont. Cabinet "ELAN" Mini
ADC012TZ2EL	Monoblock Water .Softener 12 l valve TZ2 1" meter cont. Cabinet "ELAN" Mini
ADC020TZ2EL	Monoblock Water .Softener 18-20 l valve TZ2 1" meter cont. Cabinet "ELAN" Maxi
ADC022TZ2EL	Monoblock Water .Softener 22-25 l valve TZ2 1" meter cont. Cabinet "ELAN" Maxi

ADC-EZ2 Downflow Compact Soft Cabinet "UNI"

Residential monoblock water softeners - Control valve EZ2 electronic metered Cabinet "UNI"



Item-Nr:	Description:
ADC008EZ2UN	Monoblock Water .Softener 8-10 l valve EZ2 1" meter cont. Cabinet "UNI" Mini
ADC008EZ2UNP	Monoblock Water .Softener 8-10 l valve EZ2 1" meter cont. Cabinet "UNI PLUS" Mini
ADC012EZ2UN	Monoblock Water .Softener 12,5 l valve EZ2 1" meter cont. Cabinet "UNI" Mini
ADC012EZ2UNP	Monoblock Water .Softener 12,5 l valve EZ2 1" meter cont. Cabinet "UNI PLUS" Mini
ADC015EZ2UN	Monoblock Water .Softener 13-15 l valve EZ2 1" meter cont. Cabinet "UNI" Maxi
ADC015EZ2UNP	Monoblock Water .Softener 13-15 l valve EZ2 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC020EZ2VUN	Monoblock Water .Softener 18-20 l valve EZ2 1" meter cont. Cabinet "UNI" Maxi
ADC020EZ2VUNP	Monoblock Water .Softener 18-20 l valve EZ2 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC025EZ2UN	Monoblock Water .Softener 22-25 l valve EZ2 1" meter cont. Cabinet "UNI" Maxi
ADC025EZ2UNP	Monoblock Water .Softener 22-25 l valve EZ2 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC030EZ2VUN	Monoblock Water .Softener 28-30 l valve EZ2 1" meter cont. Cabinet "UNI" Maxi
ADC030EZ2VUNP	Monoblock Water .Softener 28-30 l valve EZ2 1" meter cont. Cabinet "UNI PLUS" Maxi

ADC-TZ2 Upflow Compact Soft Cabinet "UNI"

Residential monoblock water softeners-Control valve TZ2 upflow electr metered cab UNI



Item-Nr:	Description:
ADC008TZ2VUN	Monoblock Water .Softener 8-10 l valve TZ2 1" meter cont. Cabinet "UNI" Mini
ADC008TZ2VUNP	Monoblock Water .Softener 8-10 l valve TZ2 1" meter cont. Cabinet "UNI PLUS" Mini
ADC012TZ2UN	Monoblock Water .Softener 12,5 l valve TZ2 upflow 1" meter cont. Cabinet "UNI" Mini
ADC012TZ2UNP	Monoblock Water .Softener 12,5 l valve TZ2 upflow 1" meter cont. Cabinet "UNI PLUS" Mini
ADC015TZ2VUN	Monoblock Water .Softener 13-15 l TZ2 upflow 1" meter cont. Cabinet "UNI" Maxi
ADC015TZ2VUNP	Monoblock Water .Softener 13-15 l TZ2 upflow 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC020TZ2VUN	Monoblock Water .Softener 18-20 l valve TZ2 upflow 1" meter cont. Cabinet "UNI" Maxi

ADC020TZ2VUNP	Monoblock Water .Softener 18-20 l valve TZ2 upflow 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC025TZ2VUN	Monoblock Water .Softener 22-25 l valve TZ2 upflow 1" meter cont. Cabinet "UNI" Maxi
ADC025TZ2VUNP	Monoblock Water .Softener 22-25 l valve TZ2 upflow 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC030TZ2VUN	Monoblock Water .Softener 28-30 l valve TZ2 upflow 1" meter cont. Cabinet "UNI" Maxi
ADC030TZ2VUNP	Monoblock Water .Softener 28-30 l valve TZ2 upflow 1" meter cont. Cabinet "UNI PLUS" Maxi

ADC-EZ2 Downflow Compact Soft Cabinet "DL" Residential monoblock water softeners - Control valve EZ2 electronic metered Cabinet DIA-LUX



Item-Nr:	Description:
ADC008EZ2DL	Monoblock Water .Softener 8-10 l valve EZ2 1" meter cont. Cabinet "DIA-LUX" Mini
ADC012EZ2DL	Monoblock Water .Softener 12,5 l valve EZ2 1" meter cont. Cabinet "DIA-LUX" Mini
ADC015EZ2DL	Monoblock Water .Softener 13-15 l valve EZ2 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC020EZ2DL	Monoblock Water .Softener 18-20 l valve EZ2 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC025EZ2DL	Monoblock Water .Softener 22-25 l valve EZ2 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC030EZ2DL	Monoblock Water .Softener 28-30 l valve EZ2 1" meter cont. Cabinet "DIA-LUX" Maxi

ADC-TZ2 Upflow Compact Soft Cabinet "DL" Residential monoblock water softeners - Control valve TZ2 electronic metered Cabinet DIA-LUX



Item-Nr:	Description:
ADC008TZ2DL	Monoblock Water .Softener 8-10 l valve TZ2 1" meter cont. Cabinet "DIA-LUX" Mini
ADC012TZ2DL	Monoblock Water .Softener 12,5 l valve TZ2 upflow 1" meter cont. Cabinet "DIA-LUX" Mini
ADC015TZ2DL	Monoblock Water .Softener 13-15 l TZ2 upflow 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC020TZ2DL	Monoblock Water .Softener 18-20 l valve TZ2 upflow 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC025TZ2DL	Monoblock Water .Softener 22-25 l valve TZ2 upflow 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC030TZ2DL	Monoblock Water .Softener 28-30 l valve TZ2 upflow 1" meter cont. Cabinet "DIA-LUX" Maxi

CABINET SOFTENERS CLACK VALVE

ADC-Clack WS1TC

Compact Soft Cabinet "EU"

Residential monoblock water softeners - Control valve

Clack WS1TC electronic time controlled Cabinet EU



Item-Nr:	Description:
ADC008CT1EU	Monoblock Water Softener 8-10 l valve Clack WS1TC 1" meter cont. Cabinet "EU" Mini
ADC015CT1EU	Monoblock Water Softener 13-15 l valve Clack WS1TC 1" time cont. Cabinet "EU" Maxi
ADC020CT1EU	Monoblock Water Softener 18-20 l valve Clack WS1TC 1" time cont. Cabinet "EU" Maxi
ADC025CT1EU	Monoblock Water Softener 22-25 l valve Clack WS1TC 1" time cont. Cabinet "EU" Maxi

ADC-Clack WS1TC

Compact Soft Cabinet "UNI"

Residential monoblock water softeners - Control valve

Clack WS1TC electronic time controlled Cabinet UNI



Item-Nr:	Description:
ADC008CT1UN	Monoblock Water Softener 8-10 l valve Clack WS1TC 1" meter cont. Cabinet "UNI" Mini
ADC008CT1UNP	Monoblock Water Softener 8-10 l valve Clack WS1TC 1" meter cont. Cabinet "UNI PLUS" Mini
ADC012CT1UN	Monoblock Water Softener 12,5 l valve Clack WS1TC 1" meter cont. Cabinet "UNI" Mini
ADC012CT1UNP	Monoblock Water Softener 12,5 l valve Clack WS1TC 1" meter cont. Cabinet "UNI PLUS" Mini
ADC015CT1UN	Monoblock Water Softener 13-15 l valve Clack WS1TC 1" time cont. Cabinet "UNI" Maxi
ADC015CT1UNP	Monoblock Water Softener 13-15 l valve Clack WS1TC 1" time cont. Cabinet "UNI PLUS" Maxi
ADC020CT1UN	Monoblock Water Softener 18-20 l valve Clack WS1TC 1" time cont. Cabinet "UNI" Maxi
ADC020CT1UNP	Monoblock Water Softener 18-20 l valve Clack WS1TC 1" time cont. Cabinet "UNI PLUS" Maxi
ADC025CT1UN	Monoblock Water Softener 22-25 l valve Clack WS1TC 1" time cont. Cabinet "UNI" Maxi
ADC025CT1UNP	Monoblock Water Softener 22-25 l valve Clack WS1TC 1" time cont. Cabinet "UNI PLUS" Maxi
ADC030CT1UN	Monoblock Water Softener 28-30 l valve Clack WS1TC 1" time cont. Cabinet "UNI" Maxi
ADC030CT1UNP	Monoblock Water Softener 28-30 l valve Clack WS1TC 1" time cont. Cabinet "UNI PLUS" Maxi

ADC-Clack WS1TC Compact Soft Cabinet "DL"

Residential monoblock water softeners - Control valve
Clack WS1TC electronic time controlled Cabinet DIA-



Item-Nr:	Description:
ADC008CT1DL	Monoblock Water Softener 8-10 l valve Clack WS1TC 1" meter cont. Cabinet "DIA-LUX" Mini
ADC012CT1DL	Monoblock Water Softener 12,5 l valve Clack WS1TC 1" meter cont. Cabinet "DIA-LUX" Mini
ADC015CT1DL	Monoblock Water Softener 13-15 l valve Clack WS1TC 1" time cont. Cabinet "DIA-LUX" Maxi
ADC020CT1DL	Monoblock Water Softener 18-20 l valve Clack WS1TC 1" time cont. Cabinet "DIA-LUX" Maxi
ADC025CT1DL	Monoblock Water Softener 22-25 l valve Clack WS1TC 1" time cont. Cabinet "DIA-LUX" Maxi
ADC030CT1DL	Monoblock Water Softener 28-30 l valve Clack WS1TC 1" time cont. Cabinet "DIA-LUX" Maxi

ADC-Clack WS1CI Compact Soft Cabinet "EU"

Residential monoblock water softeners - Control valve
Clack WS1CI electronic metered Cabinet EU



Item-Nr:	Description:
ADC008CV1EU	Monoblock Water Softener 8-10 l valve Clack WS1CI 1" meter cont. Cabinet "EU" Mini
ADC015CV1EU	Monoblock Water Softener 13-15 l valve Clack WS1CI 1" meter cont. Cabinet "EU" Maxi
ADC020CV1EU	Monoblock Water Softener 18-20 l valve Clack WS1CI 1" meter cont. Cabinet "EU" Maxi
ADC025CV1EU	Monoblock Water Softener 22-25 l valve Clack WS1CI 1" meter cont. Cabinet "EU" Maxi

ADC-Clack WS1CI Compact Soft Cabinet "UNI"

Residential monoblock water softeners - Control valve Clack WS1CI electronic metered Cabinet UNI



Item-Nr:	Description:
ADC008CV1UN	Monoblock Water Softener 8-10 l valve Clack WS1CI 1" meter cont. Cabinet "UNI" Mini
ADC008CV1UNP	Monoblock Water Softener 8-10 l valve Clack WS1CI 1" meter cont. Cabinet "UNI PLUS" Mini
ADC012CV1UN	Monoblock Water Softener 12,5 l valve Clack WS1CI 1" meter cont. Cabinet "UNI" Mini
ADC012CV1UNP	Monoblock Water Softener 12,5 l valve Clack WS1CI 1" meter cont. Cabinet "UNI PLUS" Mini
ADC015CV1UN	Monoblock Water Softener 13-15 l valve Clack WS1CI 1" meter cont. Cabinet "UNI" Maxi
ADC015CV1UNP	Monoblock Water Softener 13-15 l valve Clack WS1CI 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC020CV1UN	Monoblock Water Softener 18-20 l valve Clack WS1CI 1" meter cont. Cabinet "UNI" Maxi
ADC020CV1UNP	Monoblock Water Softener 18-20 l valve Clack WS1CI 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC025CV1UN	Monoblock Water Softener 22-25 l valve Clack WS1CI 1" meter cont. Cabinet "UNI" Maxi
ADC025CV1UNP	Monoblock Water Softener 22-25 l valve Clack WS1CI 1" meter cont. Cabinet "UNI PLUS" Maxi
ADC030CV1UN	Monoblock Water Softener 28-30 l valve Clack WS1CI 1" meter cont. Cabinet "UNI" Maxi
ADC030CV1UNP	Monoblock Water Softener 28-30 l valve Clack WS1CI 1" meter cont. Cabinet "UNI PLUS" Maxi

ADC-Clack WS1CI Compact Soft Cabinet "DL"

Residential monoblock water softeners - Control valve Clack WS1CI electronic metered Cabinet DIA-LUX



Item-Nr:	Description:
ADC008CV1DL	Monoblock Water Softener 8-10 l valve Clack WS1CI 1" meter cont. Cabinet "DIA-LUX" Mini
ADC012CV1DL	Monoblock Water Softener 12,5 l valve Clack WS1CI 1" meter cont. Cabinet "DIA-LUX" Mini
ADC015CV1DL	Monoblock Water Softener 13-15 l valve Clack WS1CI 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC020CV1DL	Monoblock Water Softener 18-20 l valve Clack WS1CI 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC025CV1DL	Monoblock Water Softener 22-25 l valve Clack WS1CI 1" meter cont. Cabinet "DIA-LUX" Maxi
ADC030CV1DL	Monoblock Water Softener 28-30 l valve Clack WS1CI 1" meter cont. Cabinet "DIA-LUX" Maxi

CABINET SOFTENERS KS VALVE

ADC-K Compact Soft K1 Series Downflow

Residential K1 Cabinet Softeners - Control valve KS electronic metered Downflow



Series K1 DOWNFLOW - The valve automatically closes the water flow during regeneration

Item-Nr:	Description:
ADC012K1D	Cabinet Softener K1 Series - resin 12,5 l w/valve K1 electronic metered Downflow
ADC025K1D	Cabinet Softener K1 Series - resin 25 l w/valve K1 electronic metered Downflow

ADC-K Compact Soft K1 Series Downflow/Upflow

Residential K1 Cab.Softeners-Control valve KS electr. metered- Downflow/Upflow at choice



Series K1 DOWNFLOW or UPFLOW at choice - valve NOT closing the water flow during regeneration

Item-Nr:	Description:
ADC012K1DU	Cabinet Softener K1 Series - resin 12,5 l w/valve K1 electronic metered Downflow/Upflow at choice
ADC025K1DU	Cabinet Softener K1 Series - resin 25 l w/valve K1 electronic metered Downflow/Upflow at choice

ADC-GW Compact Soft "Gold Wave" Series Downflow

Residential Cabinet Softeners "Gold Wave" Series - electronic metered downflow



Household automatic water softener
Display LCD Electronic display water Softener control Valve
Regeneration mode: Intelligent Time or Flowmeter
Inlet & Outlet ; 1" (1/2", 3/4" available on request
Resin Volume: Mod. Maxi 25 L - Mod Mini 12,5 L - Drain 3/8"
Flow rate : 2000 l/h max
Working Pressure : 1,5 - 5,5 bar
Working Temperature : 5 - 50 °C
Regeneration mode; downflow (other types available on request)

Dimensions of softener Maxi (25 l of resin) : 450 × 328 × 1104 mm
Packaging dimensions: 490x330x1160mm
Dimensions of softener Mini (12.5 l of resin) : 450 × 328 × 646 mm
Packaging dimensions: 490 x 330 x 710 mm

Item-Nr:	Description:
ADC012GW1D	Cabinet Softener "Gold Wave" - resin 12.5 l electronic metered valve Downflow
ADC025GW1D	Cabinet Softener "Gold Wave" - resin 25 l electronic metered valve Downflow

ADC-BW Compact Soft "Blue Wave" Series Downflow

Residential Cabinet Softeners "Blue Wave" Series - electronic metered downflow



Household automatic water softener
Display LCD Electronic display water Softener control Valve
Regeneration mode: Intelligent Time or Flowmeter
Inlet & Outlet ; 1" (1/2", 3/4" available on request
Resin Volume: Mod. Maxi 25 L - Mod Mini 12,5 L - Drain 3/8"
Flow rate : 2000 l/h max
Working Pressure : 1,5 - 5,5 bar
Working Temperature : 5 - 50 °C
Regeneration mode; downflow (other types available on request)

Dimensions of softener Maxi (25 l of resin) : 450 × 328 × 1109 mm
Packaging dimensions: 490x330x1160mm
Dimensions of softener Mini (12.5 l of resin) : 450 × 328 × 651 mm
Packaging dimensions: 490 x 330 x 910

Item-Nr:	Description:
ADC012BW1D	Cabinet Softener "Blue Wave" - resin 12.5 l electronic metered valve Downflow
ADC025BW1D	Cabinet Softener "Blue Wave" - resin 25 l electronic metered valve Downflow

ADC K1 AIR

Residential Cabinet Softeners K1 "Air" Series - electronic metered downflow



Household automatic water softener
 Display LCD Electronic display water Softener control Valve
 Regeneration mode: Intelligent Time or Flowmeter
 Inlet & Outlet ; 1" (1/2", 3/4" available on request
 Resin Volume: Mod. Maxi 30 Drain 3/8"
 Flow rate : 2000 l/h max
 Working Pressure : 1,5 - 5,5 bar
 Working Temperature : 5 - 50 °C
 Regeneration mode; downflow (other types available on request)

Dimensions of softener Maxi (30 l of resin) : 280 X380 X 1610 mm
 Packaging dimensions: 346 X 435 X 1660 mm

Item-Nr:	Description:
----------	--------------

ADC030AI1D	Cabinet Softener Serie K1 "Air" resin 30 l electronic metered valve Downflow
------------	--

ADC-RS Compact Soft "Rise" Series Downflow

Residential Cabinet Softeners "Rise" Series - electronic metered downflow



Household automatic water softener
 Display LCD Electronic display water Softener control Valve
 Regeneration mode: Intelligent Time or Flowmeter
 Inlet & Outlet ; 1" (1/2", 3/4" available on request
 Resin Volume: Mod. Maxi 20 L - Mod Mini 5 L- Drain 3/8"
 Flow rate : 2000 l/h max
 Working Pressure : 1,5 - 5,5 bar
 Working Temperature : 5 - 50 °C
 Regeneration mode; downflow (other types available on request)

Dimensions of softener Maxi (20 l of resin) : 230 × 450 × 1050 mm
 Packaging dimensions: 245 x 465 x 1160 mm
 Dimensions of softener Mini (5 l of resin) : 230 × 450 × 485 mm
 Packaging dimensions: 245 x 465 x 520 mm

Item-Nr:	Description:
----------	--------------

ADC005RS1D	Cabinet Softener "Rise" - resin 5 l electronic metered valve Downflow
ADC020RS1D	Cabinet Softener "Rise" - resin 20 l electronic metered valve Downflow

ADC-PG "Pegasus" Series Downflow

Residential softenersystem w/cleaning pre filer Serie K1
"Pegasus"-electr.metered upflow



Household automatic water softener with automatic backwash filter
Display LCD Electronic display water Softener control Valve
Regeneration mode: Intelligent Time or Flowmeter
Inlet & Outlet ; 1" (1/2", 3/4' available on request
Resin Volume: 25 L Drain 3/8"

Dimensions of softener Maxi (30 l of resin) : 580 X392 X 1102 mm
Packaging dimensions: 665 X 475 X 1200 mm
Flow rate : 2000 l/h max
Working Pressure : 1,5 - 5,5 bar
Working Temperature : 5 - 50 °C
Regeneration mode; downflow (other tyoesavailable on request)

Item-Nr:	Description:
----------	--------------

ADC025PG1D

Automatic water softener with automatic backwash prefilter

ADC-XD Extra Compact t "X- Duo" 2 in 1

2 in 1 "X-Duo" super compact residential softener
(Carbon filter/Water softener)



Household automatic water softener
Display LCD Electronic display water Softener control Valve
Regeneration mode: Intelligent Time or Flowmeter
Inlet & Outlet ; 1" (1/2", 3/4' available on request

Dimensions of softener Maxi (20 l of resin) : 455 × 195 × 465 mm
Packaging dimensions: 510 x 290 x 540 mm Resin Volume: 4 L- Drain
3/8" Flow rate : 1000 l/h max
Working Pressure : 1,5 - 5 bar
Working Temperature : 5 - 50 °C

Item-Nr:	Description:
----------	--------------

ADC004XD1D

Residential water softener super compact 4 l of resin "Xing Duo" 2 in 1 (Carbon filter / Water softener)

EXTRA PRICE FOR OTHER CABINETS

Extra Price EVO

Extra price for cabinet Mod. EVO



Item-Nr:	Description:
ADCEXEVOL01MI	Extra price for cabinet EVO MINI
ADCEXEVOL02MX	Extra price for cabinet EVO MAXI

SIMPLEX WATER SOFTENERS VALVE EZ2

ADD-EZ1 DC Simplex Series

Simplex Water Softeners valve EZ1 meter controlled brine tank "TS"



Item-Nr:	Description:
ADD008EZ1TS	Automatic W.Softener d.c. 8 lt v. EZ1 meter on demand brine tank "TS"
ADD015EZ1TS	Automatic W.Softener d.c. 15 lt v. EZ1 meter on demand brine tank "TS"
ADD020EZ1TS	Automatic W.Softener d.c. 20 lt v. EZ1 meter on demand brine tank "TS"
ADD025EZ1TS	Automatic W.Softener d.c. 25 lt v. EZ1 1" meter on demand brine tank "TS"
ADD030EZ1TS	Automatic W.Softener d.c. 30 lt v. EZ1 1" meter on demand brine tank "TS"
ADD040EZ1TS	Automatic W.Softener d.c. 40 lt v. EZ1 meter on demand brine tank "TS"
ADD050EZ1TS	Automatic W.Softener d.c. 50 lt v. EZ1 meter on demand brine tank "TS"
ADD060EZ1TS	Automatic W.Softener d.c. 60 lt v. EZ1 meter on demand brine tank "TS"
ADD075EZ1TS	Automatic W.Softener d.c. 75 lt v. EZ1 meter on demand brine tank "TS"

ADD-EZ2 DC Simplex Series

Simplex Water Softeners valve EZ2 meter controlled brine tank "TS"



Item-Nr:	Description:
ADD008EZ2TS	Automatic W.Softener d.c. 8 lt v. EZ2 meter on demand brine tank "TS"
ADD015EZ2TS	Automatic W.Softener d.c. 15 lt v. EZ2 meter on demand brine tank "TS"
ADD020EZ2TS	Automatic W.Softener d.c. 20 lt v. EZ2 meter on demand brine tank "TS"
ADD025EZ2TS	Automatic W.Softener d.c. 25 lt v. EZ2 1" meter on demand brine tank "TS"
ADD030EZ2TS	Automatic W.Softener d.c. 30 lt v. EZ2 1" meter on demand brine tank "TS"
ADD040EZ2TS	Automatic W.Softener d.c. 40 lt v. EZ2 meter on demand brine tank "TS"
ADD050EZ2TS	Automatic W.Softener d.c. 50 lt v. EZ2 meter on demand brine tank "TS"
ADD060EZ2TS	Automatic W.Softener d.c. 60 lt v. EZ2 meter on demand brine tank "TS"
ADD075EZ2TS	Automatic W.Softener d.c. 75 lt v. EZ2 meter on demand brine tank "TS"

SIMPLEX WATER SOFTENERS VALVE CLACK

ADD-Clack WS1TC DC Simplex Series

Simplex Water Softeners Clack valves WS1TC time controlled



Item-Nr:	Description:
ADD008CT1TS	Automatic water softener . 8 l resin control valve Clack WS1TC 1" time brine tank "TS"
ADD015CT1TS	Automatic W.Softener d.c. 15 lt v. Clack WS1TC 1" time brine tank "TS"
ADD020CT1TS	Automatic W.Softener d.c. 20 lt v.Clack WS1TC 1" time brine tank "TS"
ADD025CT1TS	Automatic W.Softener d.c. 25 lt v.Clack WS1TC 1" time brine tank "TS"
ADD030CT1TS	Automatic W.Softener d.c. 30 lt v. Clack WS1TC 1" time brine tank "TS"
ADD040CT1TS	Automatic W.Softener d.c. 40 lt v. Clack WS1TC 1" time brine tank "TS"
ADD050CT1TS	Automatic W.Softener d.c. 50 lt v. Clack WS1TC time brine tank "TS"
ADD060CT1TS	Automatic W.Softener d.c. 60 lt v. Clack WS1TC time brine tank "TS"
ADD075CT1TS	Automatic W.Softener d.c. 75 lt v. Clack WS1TC time brine tank "TS"
ADD090CT1TS	Automatic W.Softener d.c. 90 lt v. Clack WS1TC time brine tank "TS"
ADD100CT1TS	Automatic W.Softener d.c. 100 lt v. Clack WS1TC time brine tank "TS"
ADD125CT1TS	Automatic W.Softener d.c. 125 lt v. Clack WS1TC time brine tank "TS"
ADDClack-Ind	Automatic W.Softeners d.c. Clack 150-200-300-450-600 l (Prices on request)

ADD-Clack WS1CI DC Simplex Series

Simplex Water Softeners Clack valves WS1CI meter controlled



Item-Nr:	Description:
ADD008CV1TS	Automatic W.Softener d.c. 8 lt v. Clack WS1CI meter on demand brine tank "TS"
ADD015CV1TS	Automatic W.Softener d.c. 15 lt v.Clack WS1CI meter on demand brine tank "TS"
ADD020CV1TS	Automatic W.Softener d.c. 20 lt v. Clack WS1CI meter on demand brine tank "TS"
ADD025CV1TS	Automatic W.Softener d.c. 25 lt v.Clack WS1CI 1" meter on demand brine tank "TS"
ADD030CV1TS	Automatic W.Softener d.c. 30 lt v.Clack WS1CI 1" meter on demand brine tank "TS"

ADD040CV1TS	Automatic W.Softener d.c. 40 lt v. Clack WS1Cl meter on demand brine tank "TS"
ADD050CV1TS	Automatic W.Softener d.c. 50 lt v. Clack WS1Cl meter on demand brine tank "TS"
ADD060CV1TS	Automatic W.Softener d.c. 60 lt v. Clack WS1Cl meter on demand brine tank "TS"
ADD075CV1TS	Automatic W.Softener d.c. 75 lt v. Clack WS1Cl meter on demand brine tank "TS"
ADD090CV1TS	Automatic W.Softener d.c. 90 lt v. Clack WS1Cl meter on demand brine tank "TS"
ADD100CV1TS	Automatic W.Softener d.c. 100 lt v. Clack WS1Cl meter on demand brine tank "TS"
ADD125CV1TS	Automatic W.Softener d.c. 125 lt v. Clack WS1Cl meter on demand brine tank "TS"

DUPLEX ALTERNATED WATER SOFTENERS VALVE CLACK WS1CI TWIN

ADT-Twin Softeners Clack WS1TTCI Duplex Series

Twin System Water Softeners Clack valve WS1TTCI Twin meter controlled



Item-Nr:	Description:
ADT025CI01TT	Twin system water softener 25 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT040CI01TT	Twin system water softener 40 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT050CI01TT	Twin system water softener 50 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT075CI01TT	Twin system water softener 75 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT100CI01TT	Twin system water softener 100 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT125CI01TT	Twin system water softener 125 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT150CI01TT	Twin system water softener 150 l resin with valve Clack WS1TTCI Twin separate brine tank
ADT200CI01TT	Twin system water softener 200 l resin with valve Clack WS1TTCI Twin separate brine tank

ACTIVATED CARBON FILTERS

FCA-M Manual Carbon Filter Manual Head

FCA-M Granular activated carbon filter with manually operated valve



Item-Nr:	Description:
FCAM1054	FCA-M 10 Granular activated carbon filter with manually operated valve Ø 255 mm H 1564 mm
FCAM1252	FCA-M 12 Granular activated carbon filter with manually operated valve Ø 310 mm H 1500 mm
FCAM1354	FCA-M 13 Granular activated carbon filter with manually operated valve Ø 336 mm H 1564 mm

FCA-A CT Automatic Carbon Filter Clack WS1TC

FCA-A CT Automatic granular activated carbon filter with time controlled Clack valve



Item-Nr:	Description:
FC-A	Prices on request
FCAA1054CT1	FCA-A CT10 Automatic granular activated carbon filter valve Clack 1" time controlled Ø 255 mm H 1550 mm
FCAA1252CT1	FCA-A CT12 Automatic granular activated carbon filter valve Clack 1" time controlled Ø 310 mm H 1500 mm
FCAA1354CT11	FCA-A CT13 Automatic granular activated carbon filter valve Clack 1" time controlled Ø 346 mm H 1550 mm
FCAA1465CT1	FCA-A CT14 Automatic granular activated carbon filter valve Clack 1" time controlled Ø 369 mm H 1855 mm
FCAA1665CT1	FCA-A CT16 Automatic granular activated carbon filter valve Clack 1" time controlled Ø 422 mm H 1855 mm
FCAA1865CT1	FCA-A CT18 Automatic granular activated carbon filter valve Clack 1" time controlled Ø 451 mm H 1870 mm
FCAA2162CT1.25	FCA-A CT21 Automatic granular activated carbon filter valve Clack 1 ¼" time controlled Ø 532 mm H 1820 mm
FCAA2472CT1.5	FCA-A CT 24 Automatic granular activated carbon filter valve Clack 1 ½" time controlled Ø 616 mm H 2090 mm
FCAA3072CT2	FCA-A CT 30 Automatic granular activated carbon filter valve Clack 2" time controlled Ø 800mm H 2100 mm

QUARTZ SAND FILTERS

FQ-M Manual Quartz Sand Filter Quartz sand manual filters



Item-Nr:	Description:
FQAM1054	FQ-M 10 Quarz sand filter with manually operated valve Ø 255 mm H 1564 mm
FQAM1252	FQ-M 12 Quarz sand filter with manually operated valve Ø 310 mm H 1500 mm
FQAM1354	FQ-M 13 Quarz sand filter with manually operated valve Ø 336 mm H 1564 mm

FQ-A Automatic Multi-Layer Filters valve Clack WS1TC Quartzite automatic filters



Item-Nr:	Description:
FCQA1054CT1	FQA-A CT10 Automatic sand filter w/control valve Clack 1" time controlled Ø 255 mm H 1550 mm
FCQA1252CT1	FQA-A CT12 Automatic sand filter w/control valve Clack 1" time controlled Ø 310 mm H 1500 mm
FQA1252CT1	FQA-A CT12 Automatic sand filter w/control valve Clack 1" time controlled Ø 310 mm H 1500 mm
FQAA1354CT11	FQA-A CT13 Automatic sand filter w/control valve Clack 1" time controlled Ø 346 mm H 1550 mm
FQAA1465CT1	FQA-A CT14 Automatic sand filter w/control valve Clack 1" time controlled Ø 369 mm H 1855 mm
FQAA1665CT1	FQA-A CT16 Automatic sand filter w/control valve Clack 1" time controlled Ø 422 mm H 1855 mm
FQAA1865CT1	FQA-A CT18 Automatic sand filter w/control valve Clack 1" time controlled Ø 451 mm H 1870 mm
FQAA2162CT1.25	FQA-A CT21 Automatic sand filter w/control valve Clack 1 ¼" time controlled Ø 532 mm H 1820 mm
FQAA2472CT1.5	FQA-A CT 24 Automatic sand filter w/control valve Clack 1 ½" time controlled Ø 616 mm H 2090 mm
FQAA3072CT2	FQA-A CT 30 Automatic sand filter w/control valve Clack 2" time controlled Ø 800mm H 2100 mm

DF-BM Automatic Iron Removal Filters with BIRM Valve WS1TC

Automatic Iron Removers with BIRM



PRICES UPON REQUEST - Regeneration through simple upstream rinse with only water without any type of regenerating additive. This process is suitable only in case the oxygen content in water is at least 15% of the iron content to be removed, with pH value between 6,5 and 9, with absolutely hydrogen sulphide free water and with chlorine content not exceeding 0,3 ppm. BIRM flow rates: 11m³/h x m² up to 0,8 ppm Fe, 9,9 m³ x m² up to 1 ppm Fe, 9 m³/h x m² up to 1,5 ppm Fe, 7 m³/h x m² up to 4 ppm Fe, 4,5 m³/h x m² up to 8 ppm Fe, 4 m³/h x m² up to 10 ppm Fe

BIRM flow rates: 11m³/h x m² up to 0,8 ppm Fe, 9,9 m³ x m² up to 1 ppm Fe, 9 m³/h x m² up to 1,5 ppm Fe, 7 m³/h x m² up to 4 ppm Fe, 4,5 m³/h x m² up to 8 ppm Fe, 4 m³/h x m² up to 10 ppm Fe

Item-Nr:	Description:
DF025BM1054CTC10	Automatic iron removal Filter with BIRM 25 - Control valve Clack WS1TC 1" time controlled
DF030BM1354CTC10	Automatic iron removal Filter with BIRM 30 - Control valve Clack WS1TC 1" time controlled
DF035BM1465CTC10	Automatic iron removal Filter with BIRM 35 - Control valve Clack WS1TC 1" time controlled
DF040BM1665CTC10	Automatic iron removal Filter with BIRM 40 - Control valve Clack WS1TC 1" time controlled
DF045BM1865CTC10	Automatic iron removal Filter with BIRM 45 - Control valve Clack WS1TC 1" time controlled
DF45M1865CTC15	Automatic iron removal Filter with BIRM 45 - Control valve Clack WS1TC 1 1/2" time controlled
DFBM25100	Automatic iron remover with BIRM 25 lt 1" average flow rate 0,39 m ³ /h
DFBM50100	Automatic iron remover with BIRM 50 lt 1" average flow rate 0,56 m ³ /h
DFBM75100	Automatic iron remover with BIRM 75 lt 1" average flow rate 1 m ³ /h

MAGNETIC SCALE PREVENTER

AN-MG SCALE

Magnetic scale preventer



MAGNETIC ANTI-SCALE DEVICE- it is a device that allows you to reduce the negative effects caused by a high hardness of the water through the action of a magnetic field, offering itself as a non-chemical alternative for water softening for improve water quality. Through the passage through the magnetic field, a molecular dissociation of the "hard salts" (calcium and magnesium ions) is provoked, transforming them into aragonite which remain in suspension thus inhibiting the formation of calcareous incrustations. In the case of both domestic and industrial systems that present metallic impurities, it would be useful to integrate the system through a filter (such as wire wrapped etc.). The instrument works at water temperatures not exceeding 80 degrees centigrade. In the presence of tanks, installation of the device would be optimal downstream of the cisterns

STRONG POINTS: Protects household appliances from limescale deposits and ensures: - Extending the life of appliances; - Better washing (softer laundry, brighter dishes etc.); - Energy saving: limestone-free coils allow lower electricity consumption for heating water); - Savings on the use of detergents: use of recommended doses; - Respect for the environment: ecological, it does not release substances into the water. - Ease of use. There is no objective limit of hardness (limited to normal conditions of level). It is impossible to establish a limit in meters as regards the extension of the implants, but magnetic limescale removers have been used for very large implants that extend for kilometers and empirical tests have shown extremely successful results. The magnetic scale preventer can easily be installed in any system upstream of any appliance as required. It can be installed directly on the main circuit pipe with corresponding diameter or by-passing the circuit (recirculation) on a smaller diameter pipe. Note: to be installed at least 1 m after the pump. No running or maintenance costs after installation

Item-Nr:	Description:
AM000PG08	Magnetic scale preventer "Ultra-Compact" in plastic in/out port 8 mm hose nozzle
AM000MFB04	Magnetic scale preventer MINI in brass chrome-plated in/out port ½ M/F for household appliances
AM000MFB045	Magnetic scale preventer "Combi 2 in 1" in brass chrome-plated in/out port ½" M/F and ¾" M/F
AM000MFB05	Magnetic scale preventer MINI in brass chrome-plated in/out port ¾" M/F for household appliances
AM01MMB04	Magnetic scale preventer MG1 in brass chrome-plated in/out port ½ M/M
AM01MMB05	Magnetic scale preventer MG2 in brass chrome-plated in/out port ¾" M/M
AM01MMB06	Magnetic scale preventer MG3 in brass chrome-plated in/out port 1" M/M
AM01MMB07	Magnetic scale preventer MG4 in brass chrome-plated in/out port 1¼" M/M
AM01MMB08	Magnetic scale preventer MG5 in brass chrome-plated in/out port 1½" M/M
AM01MMB09	Magnetic scale preventer MG6 in brass chrome-plated in/out port 2" M/M
AM06FL09	Magnetic scale preventer MG7 in brass chrome-plated in/out port 2" Flanged
AM07FL11	Magnetic scale preventer MG8 in brass chrome-plated in/out port 3" Flanged
AM08FL12	Magnetic scale preventer MG9 in brass chrome-plated in/out port 4" Flanged

AN MA-EC

Magnetic scale preventer MG-EC Series



O

Item-Nr:	Description:
AM00MFB04EC	Magnetic scale preventer MINI EC in brass chrome-plated in/out port ½ M/F for household appliances
AM00MFB05EC	Magnetic scale preventer MINI EC in brass chrome-plated in/out port ¾" M/F for household appliances

AN-MA Swivel EC

Magnetic scale preventer with plastic body and swivel nut



Item-Nr:	Description:
AMECCPC015FF	Magnetic scale preventer EC with short plastic body and swivel nut in brass
AMECLPC015FF	Magnetic scale preventer EC with long plastic body and swivel nut in brass

MANUAL SOFTENERS

MS Soft

Manual softeners in stainless steel



Stainless steel water softeners - Manual regeneration - Models of 6 , 8, 12 , 16 e 20 liters

Item-Nr:	Description:
MS0062VST	Manual water softener in stainless steel 6 liters
MS0062VSTV	Manual water softener in stainless steel 6 liters (empty)
MS0082VST	Manual water softener in stainless steel 8 liters
MS0082VSTV	Manual water softener in stainless steel 8 liters (empty)
MS0122VST	Manual water softener in stainless steel 12 liters
MS0122VSTV	Manual water softener in stainless steel 12 liters (empty)
MS0162VST	Manual water softener in stainless steel 16liters
MS0162VSTV	Manual water softener in stainless steel 16liters (empty)
MS0202VST	Manual water softener in stainless steel 20 liters
MS0202VSTV	Manual water softener in stainless steel 20 liters (empty)