



RESIDENTIAL UF/ RO SYSTEMS AND ACCESSORIES

HOUSEHOLD RO SYSTEMS WITH STORAGE TANK - RO SYSTEMS FOR AQUARIUS - DIRECT FLOW DOMESTIC RO SYSTEMS (NO STORAGE TANK) - ECONOMIC - DIRECT FLOW RO SYSTEMS (NO STORAGE TANK) - PREMIUM - UF ULTRAFILTRATION SYSTEMS

HOUSEHOLD RO SYSTEMS WITH STORAGE TANK

RO - CL

RO - CL Reverse osmosis system



Different models and variations available 4 , 5, 6, and 7 -stage can be fitted with pressure pump, Ultraviolet system, post-mineralized in line cartridge, manual or automatic flush.

Standard set coming with: sediment filter 5 mic, block carbon filter 5 mic, RO membrane, in-line GAC post filter water supply valve, long reach faucet, storage tank 19 l, drain clamp. Customized model available upon request

Item-Nr:	Description:
RO409A100001	4-Stage RO system 2 prefilters 9 3/4" (sediment - GAC), membrane TFC 50 GPD, post filter in line carbon and
RO409A1P0001	4-Stage RO system 2 prefilters 9 3/4" (sediment - GAC), membrane TFC 50 GPD, post filter in line carbon,
RO409A2P0001	4-Stage RO system 2 prefilters 9 3/4" (sediment - GAC), membrane TFC 75 GPD, post filter in line carbon,
RO409A3P0001	4-Stage RO system 2 prefilters 9 3/4" (sediment - GAC), membrane TFC 100 GPD, post filter in line carbon,
RO509A100001	5-Stage RO system 3 prefilters 9 3/4" (sediment - CB-GAC), membrane TFC 50 GPD, post filter in line carbon an
RO509A1000R01	5-Stage RO system 2 prefilters 9 3/4" (sediment - GAC), membrane TFC 50 GPD, post filter in line carbon, post
RO509A1P0001	5-Stage RO system 3 prefilters 9 3/4" (sediment -CB- GAC), membrane TFC 50 GPD, post filter in line carbon,
RO509A1PVRM1	5-Stage RO system 2 prefilters 9 3/4" (sediment - GAC), membrane TFC 50 GPD, post carbon filter, pump, UV,
RO509A2002G1	5-Stage RO system 3 prefilters 9 3/4" (sediment - GAC), membrane TFC 75 GPD, post filter in line carbon, w/out
ROXT075	Extra Preis membrane 75 GPD
ROXT100	Extra Preis membrane 100 GPD
ROXT150	Extra Preis membrane 150 GPD

RO SYSTEMS FOR AQUARIUS

RO-EC

2-3 stage reverse osmosys systems for aquarius



Pre-assembled economic systems consists of simply RO membrane contained in a plastic vessel and in-line post carbon filter linked by two double plastic clips. Water production is obtained by operating manually on a ball valve upstream the system. SUITABLE FOR USE WITH AQUARIUM etc.

Item-Nr:	Description:
RO03ECLSC1020M01	3-Stage RO system 2 prefilters in line 10x2" (sediment - GAC) for Aquarius 50 GPD (200 l/day)+accessories
RO03ECLSC1225M01	3-Stage RO system 2 prefilters in line 12x2,5" (sediment - GAC) for Aquarius 50 GPD (200 l/day)+accessories
RO03ECVSCM01	3-Stage RO system 2 prefilters 9 3/4" (sediment - GAC) for technical use/aquarius 50 GPD (200

WS PURE

Multi-stage water purification portable filter



Item-Nr:	Description:
WPURMSA1	Multi-stage portable water purification filter (ceramic-carbon-bioceramic-cation resin)

DIRECT FLOW DOMESTIC RO SYSTEMS (NO STORAGE TANK) - ECONOMIC

RO DIRECT ECO 400 CL

RO DIRECT ECO 400 CL RO Systems with direct permeate production (no storage tank)



Direct Flow (Tankless) Reverse Osmosis System
Product Specification:
Big Flow 5-Stage RO System without tank
RO-400G-

M

Features:

- ☐ Flush type: Auto Flush
 - ☐ Big Flow, without pressure tank
 - ☐ RO Water Output: 400GPD
 - ☐ Housing: 122-10Y-W Single "O" Ring Housing
 - ☐ Fittings type: JACO
 - ☐ Diaphragm Booster Pump with Adaptor 110V/ 220V, 50/60HZ
 - ☐ Faucet: GF02C
 - ☐ RO Membrane HF
- Unit Packing Dimension: 42*41.5*46.5cm

Item-Nr:	Description:
ROECOCL400DF	ECO CL 400 CL RO DirectFlow 72 l/h

RO ECO 400 QF

RO ECO 400 QF RO Systems with direct permeate production (no storage tank)



Product Specification: N03F Compact RO_
RO-400G-N03F
FEATU RES
· 4-stage compact ro system : PP, GAC, CTO, RO
· Pure water flow 1. 2L/min
· No tank needed, enjoy fresh water at any time
.

On board computer with cartridge reminder

- Lower waste water ratio : 1 : 1
- Smaller but smater
- Wifi function : check working state and TDS at any time through your phone app
- Machine dimension : 390*235 * 385mm
- Packing dimension : 550 * 285 * 460mm

Item-Nr:	Description:
ROECO400QFWT	RO 400 QF compact reverse osmosis systems with quick connect filters 72 l / h

RO ECO-S - RO DIRECT

RO ECO-S - RO DIRECT RO Systems with direct permeate production (no storage tank)



Direct Flow (Tankless) Reverse Osmosis System advantages and components

- Compact design and extremely reduced dimensions
- Can be easily installed under the counter as well as under the kitchen baseboard. Powerful AC Motor Pump, Compact, Big Flow, Tankless

Main

FEATURES:

No need tank, enjoy fresh pure water directly from RO System
 Microcomputer Control, Auto Flush
 Pure Water Flow: 0.8L/1.2 l/m
 Fitting Type: Quick Fittings
 Luxury Stainless Steel Faucet
 RO Unit Dimension: 43.5*39*10.5CM
 PROCESS:
 1st Stage: Spun Sediment Filter
 2nd Stage: Carbon Block Filter
 3rd Stage: 150 GPD RO Membranes

Item-Nr:	Description:
ROECOSC400DF	ECO S Compact Compact DirectFlow RO system 72 l/h

DIRECT FLOW RO SYSTEMS (NO STORAGE TANK) - PREMIUM

OSMOSTAR - RO DIRECT

RO Systems with direct permeate production (no storage tank) with motor and rotary vane pump



Direct Flow (Tankless) Reverse Osmosis System

Main advantages and components - Compact design and extremely reduced dimensions - Can be easily installed under the counter as well as under the kitchen baseboard. **Components**

- 1 Sediment pre-filter 12" in line 5 micron for sand and dirt removal
- 1 Taste and odour activated carbon pre-filter 12" in line 5 micron
- 1 Water cooled motor 200 W (the most compact available on the market), reducing the risk of blockage due to calcium precipitates by overheat
- 1 Rotary vane pump in brass 300 l/h NSF certificated
- 2 Reverse osmosis membranes of 100 GPD or 150 GPD (depending on the model)
- Innovative recirculation system with recovery of approx. 20% of the water drain
- Electronic system featuring anti-flooding alarm, exhausted filter alarm and water shortage alarm, TDS control and automatic flush of the membranes every 12 hours without water draw.

Nominal production of permeate at 25 C°

- Version with 2 membranes of 100 GPD : 60-70 l/h
- Version with 2 membranes of 180 GPD : 90-100 l/h
- Version with 3 membranes of 180 GPD : 110-120 l/h

Osmostar is available also in the version SD coming with built-in carbonator and delivering plain water and soda (sparkling) water (room temperature). Further custom versions available upon request.

Item-Nr:	Description:
DFOS100DM2W	OsmoStar RO DirectFlow 60 l/h 2Mx100GPD,2 prefilters Motor water cooled
DFOS150DM2A	OsmoStar RO DirectFlow 90 l/h air cooled 2Mx150GPD,2 prefilters -
DFOS150DM2W	OsmoStar RO DirectFlow 90 l/h air cooled 2Mx180 GPD,2 prefilters
DFOS150DM3A	OsmoStar RO DirectFlow 110 l/h 3 Mx180 GPD, 1 prefilter

UF ULTRAFILTRATION SYSTEMS

UF ECO COMP

Ultra Compact Ultrafiltration System



Ultra Compact Ultrafiltration System Main advantages and components

- Compact design and extremely reduced dimensions
- Can be easily installed under the counter as well as under the kitchen baseboard. Powerful AC Motor Pump, Compact, Big Flow, Tankless

FEATURES:
 Microcomputer Control, Auto Flush
 Pure Water Flow: 0.8L/1.2 l/m
 Fitting Type: Quick Fittings
 Luxury Stainless Steel Faucet
 RO Unit Dimension: 43.5*39*10.5CM
PROCESS:
 1st Stage: Spun Sediment Filter
 2nd Stage: Carbon Block Filter
 3rd Stage: UF hollow fiber ultrafiltration membrane

Item-Nr:	Description:
UFECOSC05	UF ECO S Compact- 5-stage ultrafiltration system

UF ECO 03S

ECO S03 Ultrafiltration System



Ultrafiltration System Main advantages and components

- Compact design and extremely reduced dimensions
- Can be easily installed under the counter as well as under the kitchen baseboard. Powerful AC Motor Pump, Compact, Big Flow, Tankless

FEATURES:
 Pure Water Flow: 0.8L/1.2 l/m
 Fitting Type: Quick Fittings
 1st Stage: Spun Sediment Filter
 2nd Stage: Carbon Block Filter
 3rd Stage: UF hollow fiber ultrafiltration membrane

Item-Nr:	Description:
UFECO03S	UF ECO 03S Compact- 3-stage ultrafiltration system

UF ECO 04S

ECO S04 Ultrafiltration System



Ultrafiltration System Main advantages and components
 - Compact design and extremely reduced dimensions
 - Can be easily installed under the counter as well as under the kitchen baseboard. Powerful AC Motor Pump, Compact, Big Flow, Tankless

FEATURES:
 Pure Water Flow: 0.8L/1.2 l/m
 Fitting Type: Quick Fittings
 1st Stage: Spun Sediment Filter
 2nd Stage: Carbon Block Filter
 3rd Stage: UF hollow fiber ultrafiltration membrane
 4th stage: GAC filter with granular activated carbon

Item-Nr:	Description:
UFECO04S	UF ECO 04S Compact- 4-stage ultrafiltration system

UF ECO 04T

ECO 04T Countertop Ultrafiltration System



Countertop Ultrafiltration System Main advantages and components
 - Compact design and extremely reduced dimensions
 - Can be easily installed under the counter as well as under the kitchen baseboard. Powerful AC Motor Pump, Compact, Big Flow, Tankless

FEATURES:
 Pure Water Flow: 0.8L/1.2 l/m
 Fitting Type: Quick Fittings
 1st Stage: Spun Sediment Filter
 2nd Stage: Carbon Block Filter
 3rd Stage: UF hollow fiber ultrafiltration membrane
 4th stage: GAC filter with granular activated carbon

Item-Nr:	Description:
UFECO04T	UF ECO 04T Countertop 4-stage ultrafiltration system

UF ECO FILTERS

Filters and spare parts for ultrafiltration systems UF ECO
COMP / ECO S03 / ECOS04



Item-Nr:	Description:
QCCB10F-	QC-Slim carbon block bayonet filter with quick connect head for UF ECO Systems
QCCB10F00-	QC-Slim Replacement carbon block quick coupling bayonet filter for UF ECO Systems
QCGC10F-	QC-Slim AC granular carbon bayonet filter with quick connect head for UF ECO Systems
QCGC10F00-	QC-Slim Replacement GAC granular carbon quick coupling bayonet filter for UF ECO Systems
QCPP10F-	QC-Slim PP bayonet filter with quick connect head for UF ECO Systems
QCPP10F00-	QC-Slim Replacement PP Sediment quick coupling bayonet filter for UF ECO Systems
QCUF10F-	QC-Slim UF bayonet filter with quick connect head for UF ECO Systems
QCUF10F00-	QC-Slim Replacement UF ultrafiltration quick coupling bayonet filter for UF ECO Systems
XQC10HE-	QC-Slim- Head for bayonet QC-Slim filters 1/4" FF connection for UF ECO Systems
ZUF03SSF03VB	RO bracket triple powder-coated white for UF 03S