

DOMESTICS AND PROFESSIONAL WATER DISPENSERS


DOMESTIC AND OFFICE WATER DISPENSERS - PROFESSIONAL WATER DISPENSERS FOR RESTAURANTS AND BARS - COMBINED 2 in 1 WATER DISPENSERS (RO SYSTEM + SODA DISPENSER) - CO2 CYLINDERS - PRESSURE REDUCER FOR CO2 CYLINDERS - WATER DISPENSERS

DOMESTIC AND OFFICE WATER DISPENSERS

Kyra UNDER Dry

Water dispenser "Kyra Under Dry" undercounter - plain,cold,soda- dry block syst.







Water cooler with hermetic compressor and forced ventilation condensing
Cooling system: ice bank
Delivery of room temperature water
Delivery of cold water 15 l/h
Delivery of cold sparkling water 20 l/ Pump 90 l/h -
Ice bank 5 l - Carbonator 0,8 l - Absorption 77 W
Cooling power 155 W - Operating pressure 3 bar
Power supply 230V – 50Hz - Compressor - Gas R134a 78 g - Noise <67 db.


Dimensions (mm) 180 x 420 x 440 Weight 16,0 kg
Side panels Powder-coated steel
Frontal panel ABS

Item-Nr:	Description:
KY3UND015DRY	Kyra Under Dry Undercounter Water dispenser - cool plain / cold sparkling / room temperatureplain- forced

Kyra TOP Dry

Water dispenser "Kyra Top Dry" countertop plain,cold,soda- cooling by dry block







Water cooler with hermetic compressor and forced ventilation condensing
Cooling system: ice bank
Delivery of room temperature water
Delivery of cold water 15 l/h
Delivery of cold sparkling water 20 l/ Pump 90 l/h -
Ice bank 5 l - Carbonator 0,8 l - Absorption 77 W
Cooling power 155 W - Operating pressure 3 bar -Power supply 230V – 50Hz - Compressor 1/12HP - Gas R134a 78 g - Noise <67 db.

Dimensions (mm) 180 x 420 x 440 Weight 16,0 kg
Side panels Powder-coated steel
Frontal panel ABS

Item-Nr:	Description:
KY3TOP015DRYB	Kyra Top Dry Countertop Water dispenser (Black) - cool plain / cold sparkling / room temperature - dry cooling

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

KY3TOP015DRYW Kyra Top Dry Countertop Water dispenser (White) - cool plain / cold sparkling / room temperature - dry cooling

Kyra UNDER Ice

Water dispenser "Kyra Under Ice" undercounter plain,cold,soda cooling by ice block



Water cooler with hermetic compressor and forced ventilation condensing Cooling system: ice bank
Delivery of room temperature water
Delivery of cold water 25 l/h
Delivery of cold sparkling water 25 l/ Pump 90 l/h -
Ice bank 5 l - Carbonator 0,8 l - Absorption 77 W
Cooling power 155 W - Operating pressure 3 bar -Power supply 230V – 50Hz - Compressor 1/12HP - Gas R134a 78 g - Noise <67 db.

Dimensions (mm) 180 x 420 x 440 Weight 16,0 kg
Side panels Powder-coated steel
Frontal panel ABS


Item-Nr:	Description:
KY3UND025ICE	Kyra Under ICE Undercounter Water dispenser - cool plain / cold sparkling / room temperatureplain- Cooling

Kyra TOP Ice

Water dispenser "Kyra Top Ice" countertop plain,cold,soda- cooling by ice block









Water cooler with hermetic compressor and forced ventilation condensing Cooling system: ice bank
Delivery of room temperature water
Delivery of cold water 25 l/h
Delivery of cold sparkling water 25 l/ Pump 90 l/h -
Ice bank 5 l - Carbonator 0,8 l - Absorption 77 W
Cooling power 155 W - Operating pressure 3 bar -Power supply 230V – 50Hz - Compressor 1/12HP - Gas R134a 78 g - Noise <67 db.

Dimensions (mm) 180 x 420 x 440 Weight 16,0 kg
Side panels Powder-coated steel
Frontal panel ABS

Item-Nr:	Description:
KY3TOP025ICEB	Kyra Top Ice countertop Water dispenser (Black) - cool plain / cold sparkling / room temperatureplain- Cooling
KY3TOP025ICEW	Kyra Top Ice countertop water dispenser (White) - cool plain / cold sparkling / room temperatureplain- Cooling

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

Kyra UNDER Ice Hermetic

Water dispenser "Kyra Under Ice Hermetic" undercounter-plain,cold,soda-hermetic ice block



Cooling system: hermetic ice bench Water flow at ambient temperature V
Cold water flow rate 15 l / h
Sparkling water flow 25 l / h
Booster pump (made in Italy) 120 l / h
Hermetic bench 3 l - Carbonator 2,5 l
Absorption 77 W Refrigeration Power 155 W
Operating pressure 3 bar
Power supply 230V - 50Hz - Compressor 1/12 HP
R134a gas 78 g.
Noise <65 db.

Dimensions (mm) 170 x 320 x h430
Weight 16,0 kg - Materials: Side panels Stainless steel ABS front panel
Special voltages on request
Customized equipment on request

Item-Nr:	Description:
KY3UNH025ICE	Kyra Under ICE Hermetic Undercounter Water dispenser - cool plain / cold sparkling / room temperatureplain-

Kyra TOP Ice Hermetic

Water dispenser "Kyra Top Ice Hermetic" countertop plain,cold,soda- hermetic ice block







Cooling system: hermetic ice bench Water flow at ambient temperature V
Cold water flow rate 15 l / h
Sparkling water flow 25 l / h
Booster pump (made in Italy) 120 l / h
Hermetic bench 3 l - Carbonator 2,5 l
Absorption 77 W Refrigeration Power 155 W
Operating pressure 3 bar
Power supply 230V - 50Hz - Compressor 1/12 HP
R134a gas 78 g.
Noise <65 db.

Dimensions (mm) 170 x 320 x h430
Weight 16,0 kg - Materials: Side panels Stainless steel ABS front panel
Special voltages on request
Customized equipment on request

Item-Nr:	Description:
KY3TOH025ICEB	Kyra Top Ice Hermetic Countertop Water dispenser (Black)- cool plain / cold sparkling / room temperatureplain-
KY3TOH025ICEW	Kyra Top Ice Hermetic Countertop Water dispenser (White)- cool plain / cold sparkling / room temperatureplain-

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

PROFESSIONAL WATER DISPENSERS FOR RESTAURANTS AND BARS

GLACIER 60

Professional water dispenser Soda "GLACIER 60" 60 l/h cold,plain room, sparkling water





Item-Nr:	Description:
GL3TAFRU060ICE	Clacier 60 Professional countertop water dispenser 60 l/h - w/water faucets, cool plain / cold sparkling / room
GL3UAFRU060ICE	Clacier 60 Professional cundercounter water dispenser for mechanical tap 60 l/h - w/water faucets, cool plain / co

GLACIER 90

Professional water dispenser Soda "GLACIER 90" 90 l/h cold,plain room, sparkling water





Item-Nr:	Description:
GL3TAFRU090ICE	Clacier 90 Professional countertop water dispenser 90 l/h - w/water faucets, cool plain / cold sparkling / room
GL3UAFRU090ICE	Clacier 90 Professional cundercounter water dispenser for mechanical tap 90 l/h - w/water faucets, cool plain / co

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

GLACIER 120

Professional water dispenser Soda "GLACIER 120" 120 l/h cold,plain room, sparkling water





Item-Nr:	Description:
GL3TAFRU120ICE	Clacier 120 Professional countertop water dispenser 120 l/h - w/water faucets, cool plain / cold sparkling / room
GL3UAFRU120ICE	Clacier 120 Professional cundercounter water dispenser for mechanical tap 120 l/h - w/water faucets, cool plain /

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

COMBINED 2 in 1 WATER DISPENSERS (RO SYSTEM + SODA DISPENSER)

BUBBLE STAR UNDER

2 in 1 water dispensers Direct reverse osmosis + water cooler : plain/cold/soda water






Water cooler with hermetic compressor and forced ventilation
Bubble Star Undercounter refrigerator-carbonation - Production of chilled water: Lt / m 1.5 - Ability carbonator: L 1.00
- Carbonator pump 24 Volts - Compressor: 1/8 Hp
- Water-cooled - Control functions electronics
- Display Control - Flood sensor - External cladding: Painted aluminum
Dimensions: (WxDxH) 190x390x340 mm Weight: Kg 15.00

Bubble Star - Soda system undercounter with filtration system WITH BULT-IN Direct Flow Reverse osmosis system
- Production osmotic water: 90 l / h (+ / - 10%) - Engine: 200W 220V 50Hz water cooled - Pump: Rotary Vane High Pressure
brass capacity: 300 l / h NSF certified - Osmotic Membrane: # 2 TW30-1812 - Filter: PPF sediment in line 12 "
- Filter: CTO active carbon feed in line 12 " - Control functions electronics - Display Control - Flood sensor - Production of chilled water: Lt / m 1.5 - Compressor: 1/8 Hp - Water-cooled
- External cladding: Painted aluminum - Front panel methacrylate
Dimensions: (WxDxH) 280x390x340 mm Weight: 27.5 Kg

Item-Nr:	Description:
GR03BSURO	Bubble Star Special undercounter dispenser/ cook -cold and sparkling (version w/direct Flow RO System-No
GR03BSUUF	BUBBLE STAR Special undercounter dispenser/ cook -cold and sparkling w/UF-Ultrafiltration

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

CO2 CYLINDERS

CO2-C

Co2 Cylinders for Soda carbonation system







Item-Nr:	Description:
BOCO2N06	CO2 CYLINDER 600 G THROW-AWAY
BOCO2N40	co2 Cylinder 4 Kg (new) w/ Tulip style handle
BOCO2R20	co2 Cylinder 2 Kg (regenerated as new) w/ Tulip style handle
BOCO2R40	co2 Cylinder 4 Kg (regenerated as new) w/ Tulip style handle
BOCO2R50	CO2 Cylinder 5 Kg (regenerated as new) w/ Tulip style handle

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

PRESSURE REDUCER FOR CO2 CYLINDERS

CO2-PRESSURE REDUCER EG02

Pressure reducer EG02 for Co2 Cylinders






Mod. EG02 for rechargeable CO2 Cylinders
Technical Specifications Material: Aluminum Alloy HR
Treatment: Anodized (Anthracite)
Inlet pressure: 10 to 160 bar
Outlet pressure: 0-5.5 bar [adjustable]
Gauges: DN 40 low pressure [0-10 bar]]

Safety: Overpressure
Attack cylinder: Extension Adapter EU 21.8X1/14 "for refillable
Output: 1/8 female
Flow rate: 15 l / min
Size: 74X 84 ø 38 mm
Weight: 195 g

Item-Nr:	Description:
GRRIC2EADA	Extension adapter M11x1 → W21.8x1/14 "CO2 cylinders
GRRIC2EG1M	Pressure reducer for CO2 Cylinders Mod.EG02 with 1 gauge
GRRIC2EG2M	Pressure reducer for CO2 Cylinders Mod.EG02 with 2 gauges 0-10 bar 21.8X1/14”

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com

WATER DISPENSERS

WAC MOD."ELECTRA" — Water dispensers"ELECTRA" Series hot/cold/ambience POU






Water dispenser with streamlined shape, three buttons for dispensing hot, cold and room temperature water. Featuring special safety lock particularly suitable for children. Functions : Hot water - Cold Water - Room temperature Water - Power supply AC220V-AC240 V 50-60 Hz Dimensions : 104x33,5x36,5 cm Package dimensions: 108x37,6x40,5cm Net weight: 20,5 Kg Gross weight : 22,5 Kg

Hot water features - Tanks volume : 0,5/1,5 L Power consumption: 1150W/500W Capacity: 85°C -95°C 8 l/h Heating system: Bottom heating, band heating ,Immersion heating Cold water features - Refrigerant : R134a Tanks volume: 3,3L Consumption : 85W Capacity: 5°C-10°C 2 l/h

Item-Nr:	Description:
WCACH01BW	Glass holder for water cooler ASTER Series
WCAEL01FCPOU	Water cooler Mod Alcyone (Hot/cold water) Point Of Use for purified water w/clips for filtration system assembly
WCAEL01FCUF	Water cooler Mod Electra- (Hot/cold water) Point Of Use for purified water with ultrafiltration system

WAC MOD."SPHERA" — Water dispensers"SPHERA" Series hot/cold/ambience POU




Water dispenser with streamlined shape, three buttons for dispensing hot, cold and room temperature water. Featuring special safety lock particularly suitable for children. Functions : Hot water - Cold Water - Room temperature Water - Power supply AC220V-AC240 V 50-60 Hz Dimensions : 110x34x36cm Package dimensions: 116x40x42cm Net weight: 20,5 Kg Gross weight : 22,5 Kg

Large lead disèlay screen Separate holding tank Ambient 5 L Hot 1,8 L Cold 1,8 L Cooling by compressor

Item-Nr:	Description:
WCASP01FCPOU	Water cooler Mod Sphera- (Hot/cold water) Point Of Use for purified water w/clips for filtration system assembly
WCASP01FCUF	Water cooler Mod Sphera- (Hot/cold water) Point Of Use for purified water with ultrafiltration system

Celtis Water Srl SP33 Km 0,230 Loc.Bettolino Nord, I-25030 Brandico (Bs) -Italy-Tel +39 030 2056433 Fax +39 030 2053465 e-mail: info@celtis-water.com